NABL Accreditation Laboratory Aruna Naveen Calibration LLP

For Force | Torque | Weighing Balance | Weights | Pressure | Flow Meter | LVDT | Encoder | Electro Technical (ET) | Thermal |



Range: 10 N TO 100 TON | Compression & Tension









UTM | CTM | TTM M/C

LOADCELL

Spring Testing M/c Compression Testing M/c

TYRE Testing

Range: 0.1Nm TO 300Nm









Rotary Torque Reaction Torque Torque Tester



2 Wheeler / 4 wheeler Steering Torque

Range: 220g TO 5000KG



Industrial Platform Scale

Range: 1mg TO 20kg









SS Bottle Weight / Cast iron weight / Hook Weight

Range: UPTO 600mm



LVDT/Displacement Sensor

Range: UPTO 1000 bar



Analogue / Digital

Pressure Gauge



Pressure Transmitter

Range: UPTO 35m³/h



Water Flow Meter











Multimeter

ELECTRO TECHNICAL (ET)

echno products

Ph: 9962558288 / 9385558884

Weighing Based Fully Automation Projects



TANK WEIGHING



Capacity: UPTO 300Ton



HOPPER WEIGHING



PROCESS WEIGHING Capacity: UPTO 20Ton Approved



Single/Double Girder **EOT Crane Weighing**



Portable Hook Crane Scale



Dynamometer



Fork Lift Weighing



Check Weighing



Belt Conveyor



Luggage Weighing



Vehicle parts Load Testing



Spring Load Testing



Winding & Tension Load Test



Batching Plant Full Weighing Automation



Axle Weighing CAP: 20TON



Industrial Platform Scale CAP: UPTO 50TON

Techno productsPh: 9962558288 / 9385558884

Email: naveen@technoproducts.co.in / info@technoproducts.co.in

No. 5, POWER LINE ROAD, E SECTOR, SIVA SAKTHI NAGAR, RCC COMPLEX, Thirumullaivoyal, CHENNAI - 600 062

Standard Load Cell and Accessories



Single Ended Shear Beam Load cell



Stainless Steel Single Ended Shear Beam Load cell



Aluminium Single Point Load cell



Single Ended Shear Beam Load cell



Bending Beam



Brick Load cell



SS Single Point Load cell Oil damped Load Cell



Application:

- Tank weighing
- BIN and Hopper Weighing
- Platform Scale

- **Check Weigher**
- Seat Leaver Testing
- Conveyor Weighing



S Type Load Cell

Application:

- Tank, bin weighing.
- (UTM)Tension & Compression measurement.
- Batching plant hopper scales.
- Bag Filling Machines.
- Truck Scale Conversions.



Pancake Load Cell

Application:

- (UTM)Tension & Compression measurement.
- Component Press fit testing machines
- Tank, bin weighing.



Button Type Load Cell

Application:

- Tank weighing.
- Silo and Vessels Weighing
- (CTM) Compression measurement.
- Hopper Weighing.
- Impact Testing Machines.



Rope Tension



Application: Rope Tension





Digital Compression Load cell



Cup & Ball Load cell



Analogue Compression Load cell



Load Testing

Double Ended Shear Beam Load Cell

Application:

- Weighbridge
- Compression Testing

Ph: 9962558288 / 9385558884

Customized Load Cell



Pancake Load cell



Washer / Ring Type Load Cell



Universal Female
Column Load cell



Compression
Column Load cell



Pedal Force Load cell



Compression Load cell (UPTO 2000TON)



Miniature Button Load cell (From 5kg)



Piece Count Table Top Scale

Torque sensor



Reaction Torque



Rotary Torque



Nut Runner Torque



Torque Wrench Tester

Load cell Mountings and Junction Box









Process controller /Amplifier









Panel Mounded Testing M/c | Process Weighing | Batch Weighing Controllers



Digital Weighbridge Indicator



Weighing Scale Indicator



Handheld Indicator



Rail Mounted Amplifier

techno products

Ph: 9962558288 / 9385558884

Pneumatic Vibrators



Turbo Ball Vibrators

- Noise Level 80dp and forget equipment.
- Finds application in flow promotion, screening, compacting.
- Available in Various Size.



Pneumatic Piston Knockers

- > There are linear motion equipment.
- In knockers the force is generated by hammering action of piston on hardened plate. Spring less design,
 Low maintenance.
- Can be used for screens / Compacting tables / Hopper evacuation.

Silent Turbine Vibrators & Oscillator




- Improved Version of the ball vibrators, works by the rotation of an unbalanced mass on a shaft, using compressing air.
- Provides a stable vibration akin to an electric motor,

Low starting pressure not affected by orientation of vibrator,

Requires clean compressed air.






Ph: 9962558288 / 9385558884

Electrical Vibrators Motors & Applications




Motor Vibrator



Example of how electric vibrators used in Vibro Feeders



For Silo Hoppers: rotational method



For Compacting tables and tests (accelerated ageing, stress etc): Unidirectional or rotational method.



Micro Vibrator CF: 4kgf To 45kgf



Hopper Evaluation



Vibration Table

Vibro Feeder





Capacity: 10TPH to 25 TPH

Size: 500 X 200 upto Size: 1200 X 300





Food Feeder





WEIGH HOPEN

Volumetric Feeder Machine





Vibro Feeder Voltage Variable Controllers

techno products

Ph: 9962558288 / 9385558884

Email: naveen@technoproducts.co.in / info@technoproducts.co.in

No. 5, POWER LINE ROAD, E SECTOR, SIVA SAKTHI NAGAR, RCC COMPLEX, Thirumullaivoyal, CHENNAI - 600 062

NASS Automation Technologies

Automation Panel And Software Solutions



3 Component Batching Panel



FLP Enclosure Panel



Testing M/C - Safety Panel







Fully Automation Panel | SCADA | PLC PROGRAMING





Signal Lamp with Status Display



Industrial Date | Time | Temperature Monitors





Ph: 9962558288 / 9385558884


Weighbridge Manufacturer



	-0-	His Senior (Stricture exec. Signature) His Senior (Senior (Sen
Platform Size (Meter)	Capacity In (Tonnes)	Accuracy
4 X 3	5 / 10	1 / 2KG
6 X 3	10 / 30	2 / 5 KG
7.5 X 3	10 / 30	2 / 5 KG
7.5 X 3	40 / 50	5 KG
8 X 3	30 / 40 /50	5 KG
8 X 3	50 / 60	5 / 10 KG
9 X 3	40 / 50	5 KG
9 X 3	50 / 60	5 / 10 KG
12 X 3	50 / 60	5 / 10 KG
12 X 3	60 / 80	10 KG
14 X 3	50 / 60	5 / 10 KG
14 X 3	60 / 80	10 KG
15 X 3	50 / 60	5 / 10 KG
15 X 3	80 / 100	10 KG
16 X 3	50 / 60	5 / 10 KG
16 X 3	80 / 100	10 KG
16 X 3	120 / 150	20 KG
18 X 3	60 / 80 / 100	10 KG
18 X 3	100 / 150	10 / 20 KG
20 X 3	80 / 100	10 KG
20 X 3	120 / 150 / 200	20 KG







Techno productsPh: 9962558288 / 9385558884

Email: naveen@technoproducts.co.in / info@technoproducts.co.in

No. 5, POWER LINE ROAD, E SECTOR, SIVA SAKTHI NAGAR, RCC COMPLEX, Thirumullaivoyal, CHENNAI - 600 062